

10/528368

1 / 9




FIG. 1

BEST AVAILABLE COPY

10/528368

2 / 9




FIG. 2

3 / 9




FIG. 3

BEST AVAILABLE COPY

10/528368

file No. = 3 [01-12-22 22:04:02]

< 1-spps2 >

X-ray tube :	target: Cu	30 kV	40 mA
slit	(SS)	1 deg	(RS) . 3 mm
scen mode :	CONTI	1 (s)	
preset time		. 05419	(deg/step)
step width :			(deg/min)
scen speed :		2	(deg/min)




FIG. 4

101528368

5 / 9

file No. = 10 [02-01-11 14:35:35]

< S-PPS. CS3. 0 >

X-ray slit	tube :	target Cu	30 kV	40 mA
	:	(SS)	1 deg	(DS) 1 deg (RS) 3 mm
scan mode	:	CONTI	1 (s)	
preset time	:		0.5419 (deg/step)	
step width	:		2 (deg/min)	
scan speed	:			




FIG. 5

10/528368

2008-10-21 07:45:34

6 / 9

file No. = 4 [01-12-22 22:30:39]

< 1spps4	>
X-ray tube : target Cu	30 KV
slit : (SS)	1 deg (DS)
scan speed :	1 deg (RS), .3 mm
scan mode :	CONTI
preset time :	1 (s)
step width :	0.5419 (deg/step)
scan speed :	2 (deg/min)




FIG. 6

10/528368

7 / 9

file No. = 11 [02-01-11 15:05:42]

< KISOU2 >

X-ray tube :	target Cu	3.0	kV	40	mA				
slit	(SS)	1	deg	(DS)	1	deg	(RS)	3	mm
scan mode :	CONTI	1	(s)						
preset time :	05419	(deg/step)							
step width :	2	(deg/min)							
scan speed :									




FIG. 7

10/528368

8 / 9




FIG. 8

10/528368

9 / 9

file No. = 7 [01-12-22 23:42:19]

< dps, tcp2 >

X-ray tube :	target Cu	30 kV	40 mA
slit	(SS)	1 deg	(RS) . 3 mm
scan mode :	CONTI		
preset time :		1	(s)
step width :		05419	(deg/step)
scan speed :		2	(deg/min)




FIG. 9